5.1 Surface **Apliques**

A range of wall lamps for surface mounting designed for atmospheric lighting. High protection ratings for use outdoors or indoors.

This range includes several shapes, materials and light sources for mounting on wall, ceiling or simply mural.





Power

LED 6,3W, 9W, 16,2W

Beam

105°

Nominal lumen output

3000K warm white - CRI ≥ 80

4000K neutral white - CRI ≥ 80

Nominal lumen output

LED 6,3W - 300 lm, 9W - 450 lm, 16,2W - 860 lm

Control gear

Electronic (EL)

ΙP

IP54

Finishes

White (33)

Anthracite (22)

Supply voltage

220... 230V, 50/60Hz

Installation

wall, ceiling









Diffuser

Lamp LED and control gear included





9W 450lm control gear EL 3000K **11.6105.0001.22**



Grid

Lamp LED and control gear included





9W 450lm control gear EL 3000K **11.6105.0002.22**



Semicircle

Lamp LED and control gear included





9W 450lm control gear EL 3000K **11.6105.0003.22**



Diffuser

Lamp LED and control gear included





6,3W 300 lm control gear EL 3000K **11.6105.0011.22**



Grid

Lamp LED and control gear included





6,3W 300 lm control gear EL 3000K **11.6105.0012.22**



Semicircle

Lamp LED and control gear included





6,3W 300 lm control gear EL 3000K **11.6105.0013.22** Surface 5.1 Apliques

Features





Finishes



.33



Louvers

Lamp LED and control gear included





16,2W 105°

860 lm control gear EL 4000 K **11.1611.0001**



Diffuser







16,2W 105° 860 lm control gear EL 4000 K **11.1611.0002**





